



**SANTER SUPPLIES**  
CREATE LASTING MEMORIES WITH QUALITY

# Co-injection fluid

## Safety Data Sheet

### 1. Identification of Substance & Company

#### Product

Product name	Co-injection fluid
Product code	P1 3N1
HSNO approval	HSR002563
Approval description	Embalming Products (Flammable) Group Standard 2020
UN number	1198
Proper Shipping Name	Formaldehyde Solutions, Flammable
DG class	3
Packaging group	III
Hazchem code	2W
Uses	Embalming fluid

#### Company Details

Company	<b>SANTER SUPPLIES</b>
Address	18 Faulke Avenue Wainuiomata Lower Hutt 5014 New Zealand
Website	<a href="http://www.santersupplies.com">www.santersupplies.com</a>

**Emergency Telephone Number: 0800 764 766**

### 2. Hazard Identification

#### Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002563, Embalming Products (Flammable) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

#### GHS 7 Classes

Flammable liquid category 3  
STOT\* single exposure category 3  
Skin irritant category 2  
Eye irritant category 2  
Mutagen category 2  
Carcinogen category 1  
Acute toxicity category 4 (oral)  
Acute toxicity category 4 (dermal)  
Skin sensitiser category 1  
STOT\* repeated exposure category 1

#### Hazard Statements

H226 - Flammable liquid and vapour.  
H335 - May cause respiratory irritation.  
H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H341 - Suspected of causing genetic defects.  
H350 - May cause cancer.  
H302 - Harmful if swallowed.  
H312 - Harmful in contact with skin.  
H317 - May cause an allergic skin reaction.  
H372 - Causes damage to organs through prolonged or repeated exposure.

\*STOT – Specific Target Organ Toxicity

#### SYMBOLS

## DANGER



#### Other Classifications

There are no other classifications that are known to apply.



**SANTER SUPPLIES**  
CREATE LASTING MEMORIES WITH QUALITY

# Co-injection fluid

## Safety Data Sheet

### Precautionary Statements

<b>Prevention</b>	P102 - Keep out of reach of children. P103 - Read label before use. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/eye/face protection.
<b>Response</b>	P101 - If medical advice is needed, have product container or label at hand. P308+P313 - IF exposed or concerned: Get medical advice/ attention. P304+P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. P312 - Call a POISON CENTRE or doctor/physician if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P332+P313 - If skin irritation occurs: Get medical advice/ attention. P362 - Take off contaminated clothing and wash before re-use. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. P330 - Rinse mouth.
<b>Storage</b>	P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
<b>Disposal</b>	P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

### 3. Composition / Information on Ingredients

Component	CAS/Identification	Concentration
Formaldehyde	50-00-0	1.48%
Methanol	67-56-1	24.44%
Ethylene Glycol	107-21-1	4.00%

This is a commercial product whose exact ratio of components may vary slightly. Trace quantities of impurities are also likely.

### 4. First Aid

#### General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

**Recommended first aid facilities** Ready access to running water is recommended. Accessible eyewash is recommended.

#### Exposure

**Swallowed** IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Give a glass of water to drink.

**Eye contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.



**SANTER SUPPLIES**  
CREATE LASTING MEMORIES WITH QUALITY

# Co-injection fluid

## Safety Data Sheet

### Skin contact

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before re-use.

### Inhaled

Generally, inhalation of fumes/vapours is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.

### Advice to Doctor

Treat symptomatically

## 5. Firefighting Measures

### Fire and explosion hazards:

Vapours may form an explosive mixture in air which can be ignited by many sources such as pilot lights, open flames, electrical motors, switches and static electricity. Carbon dioxide, extinguishing powder, foam, fog sprays.

### Suitable extinguishing substances:

### Unsuitable extinguishing substances:

Unknown.

### Products of combustion:

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.

### Protective equipment:

Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.

### Hazchem code:

2W

## 6. Accidental Release Measures

### Containment

If greater than 10000L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water.

### Emergency procedures

In the event of spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately).

### Clean-up method

Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

### Disposal

Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.

### Precautions

Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.

## 7. Storage & Handling

### Storage

Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10. Location test certificates must be available if storing >500 L (closed > 5 L), 1500 L (closed ≤ 5 L), 250 L (open). Containers (and outer packaging) must bear the prescribed labelling, including the Hazchem code, UN number, flammability warning and name of contents.

### Handling

Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact and inhalation of vapour, mist or aerosols.



**SANTER SUPPLIES**  
CREATE LASTING MEMORIES WITH QUALITY

# Co-injection fluid

## Safety Data Sheet

### 8. Exposure Controls / Personal Protective Equipment

#### Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds	Ingredient	WES-TWA	Ceiling	WES-STEL
	Formaldehyde <sub>(carc 1, dsen)</sub>	0.3ppm	-	0.6ppm
	Methanol <sub>(skin)</sub>	200ppm, 262mg/m <sup>3</sup>	-	250ppm, 328mg/m <sup>3</sup>
	Ethylene Glycol	-	50ppm (127mg/m <sup>3</sup> )	-

Biological exposure index	Ingredient	Determinant	Sampling time	BEI
	Methanol	Methanol in urine	End of shift	15mg/L

#### Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

#### Personal Protective Equipment

##### General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

##### Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

##### Skin



Avoid any skin contact. Wear suitable protective clothing, e.g. overalls or aprons, rubber boots and impervious gloves. (Nitrile gloves are recommended. Neoprene and latex gloves provide fair to limited protection and can be used for short term use. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking.

##### Respiratory



A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a full face respirator with a formaldehyde cartridge. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary. Supplied Air respirator should be considered in the event of excessive exposure (e.g. higher than WES).

#### WES Additional Information

Not applicable



**SANTER SUPPLIES**  
CREATE LASTING MEMORIES WITH QUALITY

# Co-injection fluid

## Safety Data Sheet

### 9. Physical & Chemical Properties

<b>Appearance</b>	Red liquid
<b>Odour</b>	Pungent
<b>Odour Threshold</b>	no data
<b>pH</b>	6.8-7.2
<b>Freezing/melting point</b>	no data
<b>Boiling Point</b>	87.7°C
<b>Flashpoint</b>	29.4°C
<b>Flammability</b>	no data
<b>Upper &amp; lower flammable limits</b>	no data
<b>Vapour pressure</b>	no data
<b>Vapour density</b>	Heavier than air
<b>Specific gravity/density</b>	Greater than 1.0
<b>Solubility</b>	miscible in water
<b>Partition coefficient</b>	no data
<b>Auto-ignition temperature</b>	no data
<b>Decomposition temperature</b>	no data
<b>Viscosity</b>	no data
<b>Particle Characteristics</b>	no data

### 10. Stability & Reactivity

<b>Stability</b>	Stable
<b>Conditions to be avoided</b>	Flammable substance. Keep away from sources of ignition at all times. Containers should be kept closed in order to avoid contamination.
<b>Incompatible groups</b>	Strong oxidisers, strong alkalis, strong mineral acids.
<b>Substance Specific Incompatibility</b>	none known
<b>Hazardous decomposition products</b>	May form formaldehyde gas, oxides of carbon, hydrocarbons.
<b>Hazardous reactions</b>	none known

### 11. Toxicological Information

#### Summary

IF SWALLOWED: may cause irritation to the mouth and digestive tract.

IF IN EYES: cause irritation, redness, swelling and watering.

IF ON SKIN: may cause skin irritation. This substance may be absorbed through the skin. Sensitised individuals may experience an allergic skin reaction. Toxic by skin contact.

IF INHALED: harmful if inhaled. may cause respiratory irritation.

CHRONIC TOXICITY: formalin is a known carcinogen. Exposure may cause damage to kidneys, eyes, central nervous system, liver, heart. Methanol may cause blindness.

#### Supporting Data

<b>Acute</b>	<b>Oral</b>	Using LD <sub>50</sub> 's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is between 300 and 2,000 mg/kg. Data considered includes: Formaldehyde 260 mg/kg (Guinea pig), Methanol LD <sub>50</sub> (oral): 870mg/kg (mouse), 5628mg/kg (rat), 300mg/kg (human), Ethylene Glycol LD <sub>50</sub> (oral): 1670 mg/kg bw (cat), 5500mg/kg (dog), 6610mg/kg (guinea pig).
	<b>Aspiration</b>	This mixture is not considered an aspiration hazard.
	<b>Dermal</b>	Using LD <sub>50</sub> 's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture is between 1000 and 2,000 mg/kg. Data considered includes: Formaldehyde 270 mg/kg (rabbit), Methanol LD <sub>50</sub> (dermal): 15800mg/kg (rabbit), 393 mg/kg bw (primates), , Ethylene Glycol LD <sub>50</sub> (dermal): 9.53mL/kg (rabbit)
	<b>Inhaled</b>	Using LD <sub>50</sub> 's for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the mixture is >5mg/L/4h. Data considered includes: Formaldehyde 0.497 mg/l (mouse, vapour), Methanol 64000ppm/4H (rat), 52mg/L/4h (monkey), 10 mg/L.
	<b>Eye</b>	The mixture is considered to be an eye irritant, because some of the ingredients (formaldehyde) present are considered eye irritants in more concentrated form.
	<b>Skin</b>	The mixture is considered to be a skin irritant, because some of the ingredients (Formaldehyde) present are considered skin irritants in more concentrated form.



**SANTER SUPPLIES**  
CREATE LASTING MEMORIES WITH QUALITY

# Co-injection fluid

## Safety Data Sheet

<b>Chronic</b>	<b>Sensitisation</b>	The mixture is considered to be a contact sensitizer, because Formaldehyde present in greater than 0.1% is known to be a contact sensitizer.
	<b>Mutagenicity</b>	The mixture is considered to be a suspected mutagen, because at least one of the ingredients (Formaldehyde) present in greater than 0.1% is suspected to be a mutagen.
	<b>Carcinogenicity</b>	The mixture is considered to be a known or presumed carcinogen, because at least one of the ingredients (Formaldehyde) present in greater than 0.1% is known or presumed to be a carcinogen. (IARC).
	<b>Reproductive / Developmental</b>	This mixture is considered a reproductive/developmental toxicant (methanol, phenol). Animal studies have shown that exposure to methanol may affect offspring, e.g. increased fetal deaths, reduced fetal weight and fetal malformations. Animal studies have shown that exposure to phenol may reduce fetal weight and litter numbers.
	<b>Systemic</b>	The mixture is considered to be a known or presumed target organ toxicant, because at Formaldehyde and Methanol present in greater than 1% are known or presumed to be a target organ toxicant. The mixture is highly irritating to the upper respiratory tract. May cause inflammation of the lining of the nose, throat and lungs, with bronchopneumonia and edema possible from extremely irritating exposure. Prolonged inhalation of high concentrations may cause central nervous system depression. Chronic overexposure to methanol may cause eye damage in humans.
	<b>Aggravation of existing conditions</b>	None known.

## 12. Ecological Data

### Summary

This mixture is not considered ecotoxic towards aquatic organisms. In all cases prevent run-off to drains, sewers and waterways.

### Supporting Data

<b>Aquatic</b>	Using EC <sub>50</sub> 's for ingredients, the calculated EC <sub>50</sub> for the mixture is > 100 mg/L. Data considered includes: Formaldehyde 4.960mg/L (96hr, Channel catfish), 40 mg/L (48hr, daphnia magna), Methanol >100mg/L, Ethylene Glycol >100mg/L.
<b>Bioaccumulation</b>	Formaldehyde and methanol are not bioaccumulative.
<b>Degradability</b>	Formaldehyde degrades rapidly.
<b>Soil</b>	No evidence of toxicity towards soil organisms
<b>Terrestrial vertebrate</b>	See acute toxicity, see section 11.
<b>Terrestrial invertebrate</b>	The mixture is not considered harmful to terrestrial invertebrates.
<b>Biocidal</b>	Not applicable

## 13. Disposal Considerations

<b>Restrictions</b>	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
<b>Disposal method</b>	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment.
<b>Contaminated packaging</b>	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.



**SANTER SUPPLIES**  
CREATE LASTING MEMORIES WITH QUALITY

# Co-injection fluid

## Safety Data Sheet

### 14. Transport Information

#### Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for transport.

<b>UN number:</b>	1198	<b>Proper shipping name:</b>	Formaldehyde Solutions, Flammable
<b>Class(es)</b>	3 (8)	<b>Packing group:</b>	III
<b>Precautions:</b>	No ignition sources.	<b>Hazchem code:</b>	2W

#### IMDG

<b>UN number:</b>	1198	<b>Proper shipping name:</b>	Formaldehyde Solutions, Flammable
<b>Class(es)</b>	3 (8)	<b>Packing group:</b>	III
<b>Precautions:</b>	No ignition sources.	<b>EmS</b>	F-E, S-C

#### IATA

<b>UN number:</b>	1198	<b>Proper shipping name:</b>	Formaldehyde Solutions, Flammable
<b>Class(es)</b>	3 (8)	<b>Packing group:</b>	III
<b>Precautions:</b>	No ignition sources.		

### 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002563, Embalming Products (Flammable) Group Standard 2020. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

#### Specific Controls

Key workplace requirements are:

SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 10000L is stored.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Required if > 10000L is stored.
Signage	Required if > 1000L is stored.
Location compliance certificate	Required if > 500 L (closed > 5 L), 1500 L (closed ≤ 5 L), 250 L (open) is stored.
Flammable zone	Must be established if > 100 L (closed containers), 25 L (decanting), 5 L (open occasionally), 1 L (open containers in continuous use) is stored.
Fire extinguisher	If > 500L present.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

#### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.





**SANTER SUPPLIES**  
CREATE LASTING MEMORIES WITH QUALITY

# Co-injection fluid

## Safety Data Sheet

### 16. Other Information

#### Abbreviations

<b>Approval Code</b>	Approval HSR002563, Embalming Products (Flammable) Group Standard 2020 Controls, EPA. <a href="http://www.epa.govt.nz">www.epa.govt.nz</a>
<b>CAS Number</b>	Unique Chemical Abstracts Service Registry Number
<b>EC<sub>50</sub></b>	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
<b>EPA</b>	Environmental Protection Authority (New Zealand)
<b>GHS</b>	Globally Harmonised System of Classification and Labelling of Chemicals, 7 <sup>th</sup> revised edition, 2017, published by the United Nations.
<b>HAZCHEM Code</b>	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
<b>HSNO</b>	Hazardous Substances and New Organisms (Act and Regulations)
<b>IARC</b>	International Agency for Research on Cancer
<b>LEL</b>	Lower Explosive Limit
<b>LD<sub>50</sub></b>	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
<b>LC<sub>50</sub></b>	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
<b>NZIoC</b>	New Zealand Inventory of Chemicals
<b>STEL</b>	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
<b>STOT RE</b>	System Target Organ Toxicity – Repeated Exposure
<b>STOT SE</b>	System Target Organ Toxicity – Single Exposure
<b>TWA</b>	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
<b>UEL</b>	Upper Explosive Limit
<b>UN Number</b>	United Nations Number
<b>WES</b>	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.

#### References

<b>Data</b>	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
<b>Controls</b>	EPA notices, <a href="http://www.epa.govt.nz">www.epa.govt.nz</a> , Health and Safety at Work (Hazardous Substances) Regulations 2017, <a href="http://www.legislation.govt.nz">www.legislation.govt.nz</a>
<b>WES</b>	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – <a href="http://www.worksafe.govt.nz">www.worksafe.govt.nz</a> .
<b>Other References:</b>	Suppliers SDS

#### Review

<b>Date</b>	Reason for review
<b>December 2024</b>	Not applicable - New SDS

#### Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email [info@datachem.co.nz](mailto:info@datachem.co.nz) or phone: +64 21 1040951.

